



Cole-Parmer® Block Heater, 3 Block, Digital, SBH130D/3, SBH200D/3

- Choice of 130°C or 200°C maximum temperature
- Three block capacity
- Digital setting and display
- Uniform and stable temperatures



Cole-Parmer® Block Heater, 3 Block, Digital, SBH130D/3, SBH200D/3

The same precise heating and control of the two block SBH:D models but with 50% more capacity of a third block. Excellent temperature stability and uniformity is maintained via sensitive electronic controls.

All Cole-Parmer® three block heaters are compatible with the Cole-Parmer® Sample concentrator, for faster sample concentration.



Technical Specification

Specification	SBH130D/3	SBH200D/3
Number of blocks	3	3
Temperature range	Ambient +8°C to 130°C	Ambient +8°C to 200°C
Temperature stability at 37°C	±0.1°C	±0.1°C
Uniformity within block at 37°C	±0.1°C	±0.1°C
Uniformity within block at 130°C	±1°C	±1°C
Display resolution	0.1°C	0.1°C
Dimensions, mm (w x d x h)	310 x 280 x 115	310 x 280 x 115
Net weight, kg (without blocks)	3.2	3.2
Heater power	450W	450W
Electrical supply	230V, 50Hz	230V, 50Hz
IP Rating	31	31

Ordering Information

Description	Ordering Number	Series No.	Model No.	Legacy Sku.
Block heater, 3 block, digital, 130°C	36610-13	BH-200	BH-200D-3	SBH130D/3
Block heater, 3 block, digital, 200°C	36610-23	BH-200	BH-200D-3-HT	SBH200D/3
Block heater, 3 blocks, digital, 130°C, 120V	36610-12	BH-200	BH-200D-3-120	SBH130D/3/120V
Block heater, 3 blocks, digital, 200°C, 120V	36610-22	BH-200	BH-200D-3-HT-120	SBH200D3/120V60